

## SAFETY DATA SHEET

## 1. Product and Company Identification

**Product identifier** Toilet Seat Cleaner - 03480 (Refill)

Other means of identification Not available Recommended use Cleaner Recommended restrictions None known

Manufacturer information **NWL Netherlands Services BV** 

> Newell Rubbermaid Amperestraat 12

2181HB Hillegom, Netherlands Phone + 31 (0) 252 623 294

Kruger Products L.P. **Supplier** 

200-1900 Minnesota Court

Mississauga, Ontario L5N 5R5 Canada Emergency Phone: 1-800-328-0026

Fax: 905-812-6910 Phone: 905-812-6900

#### 2. Hazards Identification

Flammable liquids Category 3 Physical hazards Skin corrosion/irritation Category 2 **Health hazards** Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Specific target organ toxicity, single exposure Category 3 narcotic effects

Not classified. **Environmental hazards** 

WHMIS 2015 defined hazards

Label elements

Not classified

Warning Signal word

**Hazard statement** Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause

respiratory irritation. May cause drowsiness or dizziness.

**Precautionary statement** 

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face

protection. Wash thoroughly after handling. Avoid breathing mist or vapor. Use only outdoors or in

a well-ventilated area.

In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water. Specific treatment (see information on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell.

Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed. **Storage** 

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

None known

None known

Hazard(s) not otherwise classified (HNOC)

Supplemental information

None known.

None.

## 3. Composition/Information on Ingredients

**Mixture** 

**Chemical name** % Common name and synonyms **CAS** number Ethanol 64-17-5 38

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First Aid Measures

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON Inhalation

CENTER/doctor if you feel unwell.

Skin contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Specific treatment (see information on this label). If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present Eye contact

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to Ingestion

reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

Most important symptoms/effects, acute and

delayed

Indication of immediate treatment needed

medical attention and special

Provide general supportive measures and treat symptomatically.

respiratory irritation. Coughing. Skin irritation. May cause redness and pain.

**General information** 

If you feel unwell, seek medical advice (show the label where possible). Wear suitable protective clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Keep out of reach of children.

## 5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Carbon dioxide. Dry chemical. Water Fog.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Firefighters should wear a self-contained breathing apparatus.

Special protective equipment and precautions for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire-fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Flammable liquid and vapor.

**Hazardous combustion** 

May include and are not limited to: Oxides of carbon.

products

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#20530 Page: 2 of 9 Issue date 15-September-2016

# Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Do not discharge into lakes, streams, ponds or public waters.

## **Environmental precautions**

# 7. Handling and Storage

#### Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Do not ingest. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. Wash hands before breaks and immediately after handling the product.

# Conditions for safe storage, including any incompatibilities

Store locked up. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Keep out of reach of children. Do not store at temperatures above 120°F (49°C). Keep away from heat, open flames or other sources of ignition.

Value

## 8. Exposure Controls/Personal Protection

#### Occupational exposure limits

Components

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components            | Туре | Value      |
|-----------------------|------|------------|
| Ethanol (CAS 64-17-5) | TWA  | 1880 mg/m3 |
|                       |      | mag 0001   |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components            | Туре | Value    |  |
|-----------------------|------|----------|--|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |  |

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components            | Туре | Value    |  |
|-----------------------|------|----------|--|
| Ethanol (CAS 64-17-5) | STEL | mag 0001 |  |

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components            | Туре | Value    |
|-----------------------|------|----------|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm |

### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

|                       | · 7 I* * |            |
|-----------------------|----------|------------|
| Ethanol (CAS 64-17-5) | TWA      | 1880 mg/m3 |
|                       |          | 1000 ppm   |

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components            | Туре | Value      |
|-----------------------|------|------------|
| Ethanol (CAS 64-17-5) | PEL  | 1900 mg/m3 |
|                       |      | 1000 ppm   |

#### **US. ACGIH Threshold Limit Values**

| US. ACGIN THESHOU LIMIT VALUES |      |          |  |
|--------------------------------|------|----------|--|
| Components                     | Туре | Value    |  |
| Ethanol (CAS 64-17-5)          | STEL | 1000 ppm |  |

#20530 Page: 3 of 9 Issue date 15-September-2016

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Ethanol (CAS 64-17-5) **TWA** 1900 mg/m3 1000 ppm

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

Avoid contact with eves. Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Avoid contact with the skin.

Rubber gloves. Confirm with a reputable supplier first.

Wear appropriate chemical resistant clothing. As required by employer code. Other

**Respiratory protection** Not normally required if good ventilation is maintained and exposure guidelines are not exceeded.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

When using do not eat or drink.

Washing with soap and water after use is recommended as good hygienic practice to prevent

possible eye irritation from hand contact.

## 9. Physical and Chemical Properties

Clear **Appearance** Physical state Liquid. **Form** Liquid. Color Colorless Odor Alcohol **Odor threshold** Not available. pН No data available Not available. Melting point/freezing point

Initial boiling point and boiling

range

> 172.4 °F (> 78 °C)

Pour point Not available. 0.942-0.963 Specific gravity

Flash point 78.8 °F (26.0 °C) Tag Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

> 3.3 (ethanol)

Flammability limit - upper

(%)

< 19 (ethanol)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Not available. Relative density Complete Solubility(ies) Not availabl Auto-ignition temperature **Decomposition temperature** Not available.

Not available. **Viscosity** 

Other information

Not explosive. **Explosive properties** Not oxidizing Oxidizing properties

10. Stability and Reactivity

Possibility of hazardous

reactions

Reactivity

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Do not mix with other chemicals.

Incompatible materials

Hazardous decomposition

products

Acids. Caustics. Strong oxidizing agents. May include and are not limited to: Oxides of carbon.

## 11. Toxicological Information

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the

respiratory system. Prolonged inhalation may be harmful.

Causes skin irritation. Skin contact

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause

This product may react with strong acids. This product may react with strong oxidizing agents.

respiratory irritation. Coughing. Skin irritation. May cause redness and pain.

Information on toxicological effects

**Acute toxicity** Narcotic effects. May cause respiratory irritation.

| Components            | Species | lest Results  |  |
|-----------------------|---------|---------------|--|
| Ethanol (CAS 64-17-5) |         |               |  |
| Acute                 |         |               |  |
| Dermal                |         |               |  |
| LD50                  | Rabbit  | > 15800 mg/kg |  |

Inhalation LC50 Mouse 39 mg/L, 4 Hours

> Rat 31623 ppm, 4 Hours 20000 ppm, 10 Hours

> > 64.1 mg/l/4h

Oral

LD50 Dog 5500 mg/kg

> Guinea pig 5600 mg/kg Mouse 3450 mg/kg Rat 7060 mg/kg

Causes skin irritation. Skin corrosion/irritation

**Exposure minutes** Not available. Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value Not available. Not available. Iris lesion value Conjunctival reddening Not available.

value

Not available. Conjunctival oedema value

Not available. **Recover days** 

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

The finished product is not expected to have chronic health effects. Mutagenicity

See below. Carcinogenicity

Canada - Manitoba OELs: carcinogenicity

ETHANOL (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Volume 44, Volume 96, Volume 100E Ethanol (CAS 64-17-5)

Volume 96, Volume 100E

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity The finished product is not expected to have chronic health effects.

The finished product is not expected to have chronic health effects. **Teratogenicity** 

Specific target organ toxicity -

single exposure

May cause respiratory irritation. May cause drowsiness and dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged inhalation may be harmful. The finished product is not expected to have chronic health

effects.

## 12. Ecological Information

Components of this product have been identified as having potential environmental concerns. See **Ecotoxicity** 

below

**Ecotoxicological data** 

**Species** Components Ethanol (CAS 64-17-5)

Crustacea EC50 Daphnia 11744.5 mg/L, 48 Hours

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 7.7 - 11.2 mg/L, 48 hours LC50 Fish Fathead minnow (Pimephales promelas) > 100 mg/L, 96 hours

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil No data available. Not available. Mobility in general

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Test Results

## 13. Disposal Considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

General

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport Information

**Transport of Dangerous Goods** (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

IMDG Regulated Marine Pollutant.

## **U.S. Department of Transportation (DOT)**

Basic shipping requirements:

UN number UN1170

Proper shipping name Ethanol solutions

Hazard class 3
Packing group III

Special provisions 24, B1, IB3, T2, TP1

Packaging exceptions 4b,150

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number UN1170

Proper shipping name ETHANOL with more than 24% ethanol, by volume

Hazard class 3
Packing group III
Special provisions 150

DOT



**TDG** 



## 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS 2015 Exemptions Not applicable

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No SARA 302 Extremely No hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### **US state regulations**

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

**US - Illinois Chemical Safety Act: Listed substance** 

Ethanol (CAS 64-17-5)

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

**US - Minnesota Haz Subs: Listed substance** 

Ethanol (CAS 64-17-5) Listed.

US - New Jersey RTK - Substances: Listed substance

Ethanol (CAS 64-17-5)

US - Texas Effects Screening Levels: Listed substance

Ethanol (CAS 64-17-5) Listed.

**US. Massachusetts RTK - Substance List** 

Ethanol (CAS 64-17-5)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Ethanol (CAS 64-17-5)

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethanol (CAS 64-17-5) Listed: April 29, 2011

Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin


Ethanol (CAS 64-17-5) Listed: October 1, 1987

#### Inventory status


| Inventory name                                | On inventory (yes/no)*   |
|---|--|
| Domestic Substances List (DSL)                | Yes  |
| Non-Domestic Substances List (NDSL)           | No   |
| Toxic Substances Control Act (TSCA) Inventory | Yes  |
|   | Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information







**Disclaimer** Information contained herein was obtained from sources considered technically accurate and

reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. The information in the sheet was written based on the best knowledge and experience currently

available.

**Issue date** 15-September-2016

Version # 02

Effective date 07-September-2016

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.